




See More Online

MIR: Material Info

The Material Information Affecting this Property

Thursday 16th October 2025



LITTLE LANE, PIRTON, HITCHIN, SG5

Country Properties

6 Brand Street Hitchin SG5 1HX

01462 452951

NKearney@country-properties.co.uk

www.country-properties.co.uk



Planning records for: ***Poppyfields Little Lane Pirton Hitchin SG5 3QR***

Reference - 00/00362/1	
Decision:	Decided
Date:	07th March 2000
Description:	Detached dwelling with detached single garage (as amended by letter and drawing 3099 02, 03 & 04 received 19.6.00)

Planning records for: ***3 Little Lane Pirton SG5 3QR***

Reference - 78/01081/1	
Decision:	Decided
Date:	17th July 1978
Description:	Erection of detached bungalow with detached double garage and formation of new vehicular access

Planning records for: ***Warwick House Little Lane Pirton Hitchin SG5 3QR***


Reference - 03/01074/1HH	
Decision:	Decided
Date:	25th June 2003
Description:	Rear conservatory

Planning records for: ***East Croft Little Lane Pirton Hitchin SG5 3QR***

Reference - 94/00841/1HH	
Decision:	Decided
Date:	07th July 1994
Description:	Single storey side extension incorporating garage following demolition of existing garage

Planning records for: *West Lodge Little Lane Pirton Hitchin SG5 3QR*

Reference - 14/01000/1HH	
Decision:	Decided
Date:	16th April 2014
Description:	Single storey rear extension following demolition of existing rear conservatory



Additional EPC Data

Property Type:	House
Build Form:	Detached
Transaction Type:	New dwelling
Energy Tariff:	Standard tariff
Main Fuel:	Mains gas - this is for backwards compatibility only and should not be used
Flat Top Storey:	No
Top Storey:	0
Previous Extension:	0
Open Fireplace:	0
Walls:	Average thermal transmittance 0.16 W/m ² ·K
Walls Energy:	Very Good
Roof:	Average thermal transmittance 0.14 W/m ² ·K
Roof Energy:	Very Good
Main Heating:	Boiler and radiators, mains gas
Main Heating Controls:	Time and temperature zone control
Hot Water System:	From main system
Hot Water Energy Efficiency:	Good
Lighting:	Low energy lighting in all fixed outlets
Floors:	Average thermal transmittance 0.12 W/m ² ·K
Total Floor Area:	111 m ²

Building Safety

None specified

Accessibility / Adaptations

Not suitable for wheelchair users

Restrictive Covenants

None specified

Rights of Way (Public & Private)

None specified

Construction Type

Brick

Property Lease Information

Not applicable

Listed Building Information

Not applicable

Stamp Duty

Ask agent

Electricity Supply

Yes

Gas Supply

Yes

Central Heating

Yes

Water Supply

Yes - mains

Drainage

Yes - mains


Important - Please read

The information supplied is to the best of our knowledge. All buyers to carry out their own independent due-diligence.

Flood Risk

Surface Water - Flood Risk

This map shows the chance of flooding where rainwater has nowhere to drain. This kind of flooding can occur far from rivers or seas.




Risk Rating: Very low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- Low Risk** - an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- Very Low Risk** - an area in which the risk is below 1 in 1000 (0.1%) in any one year.


Chance of flooding to the following depths at this property:



Flood Risk

Surface Water - Climate Change

This map shows the future chance of flooding **between 2040 and 2060** where rainwater has nowhere to drain. This kind of flooding can occur far from rivers or seas. The government climate change models cannot predict exactly when the chance of flooding will go up. It could happen at any time during the time period.




Risk Rating: **Very low**

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- Low Risk** - an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- Very Low Risk** - an area in which the risk is below 1 in 1000 (0.1%) in any one year.


Chance of flooding to the following depths at this property:



Flood Risk

Rivers & Seas - Flood Risk

This map shows the chance of flooding from rivers and / or the sea, taking into account flood defences and their condition.




Risk Rating: Very low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- Low Risk** - an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- Very Low Risk** - an area in which the risk is below 1 in 1000 (0.1%) in any one year.


Chance of flooding to the following depths at this property:



Flood Risk

Rivers & Seas - Climate Change

This map shows the future chance of flooding from rivers and / or the sea **between 2036 and 2069**, taking into account flood defences and their condition. The government climate change models cannot predict exactly when the chance of flooding will go up. It could happen at any time during the time period.




Risk Rating: Very low


The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- Low Risk** - an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- Very Low Risk** - an area in which the risk is below 1 in 1000 (0.1%) in any one year.

Chance of flooding to the following depths at this property:




This map displays nearby official conservation areas. Every local authority in England has at least one conservation area. Most are designated by the Council as the local planning authority, though Historic England and the Secretary of State also have the power to create them.



Nearby Conservation Areas

-  1 Pirton
-  2 Shillington (Aspley End) Conservation Area
-  3 Shillington Conservation Area
-  4 Ickleford
-  5 Butts Close, Hitchin
-  6 Meppershall Conservation Area
-  7 Hexton
-  8 Hitchin
-  9 Hitchin Railway and Ransom's Recreation Ground
-  10 Charlton

This map displays the location of known landfill sites. Historic sites are where there is no environmental permit in force. Active sites are currently authorised by the Environment Agency under Environmental Permitting Regulations.



Nearby Landfill Sites

1	Pit At Holwell-Hitchin, Hertfordshire	Historic Landfill	
2	No name provided by source	Active Landfill	
3	Hambridge Way-Pirton	Historic Landfill	
4	Opposite Tyne Hill Farm-Lower Stondon, Bedfordshire	Historic Landfill	
5	Lower Stondon-Bedfordshire	Historic Landfill	
6	Ickleford Railway Cutting-Ickleford, Near Hitchin, Hertfordshire	Historic Landfill	
7	Disused Sand Pit-Stondon Manor, Upper Stondon, Bedfordshire	Historic Landfill	
8	Clark's Hill-Pegsdon, Bedfordshire	Historic Landfill	
9	South of Windmill Farm-Meppershall Road, Meppershall, Bedfordshire	Historic Landfill	
10	Upton End Farm-Shillington	Historic Landfill	

This map displays nearby coal mine entrances and their classifications.




Mine Entry

- ✕ Adit
- ✕ Gutter Pit
- ✕ Shaft

The Coal Authority has records of over 175,000 mine entries within the UK captured in the National Coal Mining database, derived from sources including abandonment plans, geological and topographical plans.

Coal mining activity is recorded as far back as the 13th century, but prior to 1872 there was no requirement to deposit abandonment plans. It is therefore believed there may be many unrecorded mine entries of which the Authority has no information or knowledge. These entries do not, therefore, appear within the Authority's national dataset as shown on this map.

The UK is divided into wards that are used for local elections to elect local government councillors. Sometimes these are known as 'electoral divisions'. Population counts can vary substantially between wards, but the national average is about 5,500



Nearby Council Wards

1

Hitchin Oughton Ward

2

Cadwell Ward

3

Hitchin Priory Ward

4

Hitchin Bearton Ward

5

Silsoe and Shillington Ward

6

Arlesey Ward

7

Hitchin Highbury Ward

8

Hitchin Walsworth Ward

9

Letchworth Wilbury Ward


10

Hitchwood, Offa and Hoo Ward




Ground Composition for this Address (Surrounding square kilometer zone around property)

Carbon Content:	HIGH	Soil Texture:	CHALKY CLAY TO CHALKY
Parent Material Grain:	ARGILLIC		LOAM
Soil Group:	MEDIUM TO LIGHT(SILTY) TO HEAVY	Soil Depth:	DEEP-INTERMEDIATE



Primary Classifications (Most Common Clay Types)


C/M	Claystone / Mudstone
FPC,S	Floodplain Clay, Sand / Gravel
FC,S	Fluvial Clays & Silts
FC,S,G	Fluvial Clays, Silts, Sands & Gravel
PM/EC	Prequaternary Marine / Estuarine Clay / Silt
QM/EC	Quaternary Marine / Estuarine Clay / Silt
RC	Residual Clay
RC/LL	Residual Clay & Loamy Loess
RC,S	River Clay & Silt
RC,FS	Riverine Clay & Floodplain Sands and Gravel
RC,FL	Riverine Clay & Fluvial Sands and Gravel
TC	Terrace Clay
TC/LL	Terrace Clay & Loamy Loess



Key:


-  Power Pylons
-  Communication Masts

This map displays nearby listed buildings and protected structures, as well as their listed tier and distance from the target property...




Listed Buildings in the local district		Grade	Distance
	1175478 - The Fox Inn	Grade II	0.1 miles
	1103193 - 20, High Street	Grade II	0.1 miles
	1347076 - 41-45, High Street	Grade II	0.1 miles
	1103191 - 31, High Street	Grade II	0.1 miles
	1103192 - Cromwell Cottage	Grade II	0.1 miles
	1175488 - Pirton Methodist Church	Grade II	0.1 miles
	1295373 - 1 And 3, Crabtree Lane	Grade II	0.1 miles
	1347112 - Orchard Cottage	Grade II	0.1 miles
	1175469 - 17, High Street	Grade II	0.1 miles
	1347109 - Crabtree House	Grade II	0.2 miles


This map displays nearby areas that have been designated as Green Belt...




Nearby Green Belt Land	
1	London Green Belt - North Hertfordshire
2	London Green Belt - Luton
3	London Green Belt - Central Bedfordshire
4	London Green Belt - Stevenage
5	London Green Belt - St Albans
6	London Green Belt - East Hertfordshire
7	London Green Belt - Welwyn Hatfield
8	London Green Belt - Dacorum
9	London Green Belt - Buckinghamshire



		Nursery	Primary	Secondary	College	Private
1	Pirton School Ofsted Rating: Requires improvement Pupils: 150 Distance:0.11	☐	☒	☐	☐	☐
2	Standon Lower School Ofsted Rating: Good Pupils: 147 Distance:1.93	☐	☒	☐	☐	☐
3	Shillington Lower School Ofsted Rating: Good Pupils: 126 Distance:2.08	☐	☒	☐	☐	☐
4	Oughton Primary and Nursery School Ofsted Rating: Good Pupils: 218 Distance:2.13	☐	☒	☐	☐	☐
5	The Priory School Ofsted Rating: Good Pupils: 1231 Distance:2.22	☐	☐	☒	☐	☐
6	Ickleford Primary School Ofsted Rating: Good Pupils: 210 Distance:2.28	☐	☒	☐	☐	☐
7	Our Lady Catholic Primary School Ofsted Rating: Good Pupils: 154 Distance:2.38	☐	☒	☐	☐	☐
8	Strathmore Infant and Nursery School Ofsted Rating: Good Pupils: 199 Distance:2.44	☐	☒	☐	☐	☐




		Nursery	Primary	Secondary	College	Private
	Samuel Lucas Junior Mixed and Infant School Ofsted Rating: Outstanding Pupils: 420 Distance:2.51	☐	☒	☐	☐	☐
	Wilshire-Dacre Junior Academy Ofsted Rating: Good Pupils: 267 Distance:2.58	☐	☒	☐	☐	☐
	York Road Nursery School Ofsted Rating: Outstanding Pupils: 107 Distance:2.62	☒	☐	☐	☐	☐
	Meppershall Church of England Academy Ofsted Rating: Good Pupils: 212 Distance:2.72	☐	☒	☐	☐	☐
	Hitchin Boys' School Ofsted Rating: Outstanding Pupils: 1317 Distance:2.77	☐	☐	☒	☐	☐
	Offley Endowed Primary School and Nursery Ofsted Rating: Good Pupils: 165 Distance:3.02	☐	☒	☐	☐	☐
	Highbury Infant School and Nursery Ofsted Rating: Good Pupils: 204 Distance:3.2	☐	☒	☐	☐	☐
	Hitchin Girls' School Ofsted Rating: Outstanding Pupils: 1355 Distance:3.21	☐	☐	☒	☐	☐




National Rail Stations

Pin	Name	Distance
1	Hitchin Rail Station	3.25 miles
2	Letchworth Rail Station	4.35 miles
3	Letchworth Rail Station	4.36 miles




Trunk Roads/Motorways

Pin	Name	Distance
1	A1(M) J8	5.72 miles
2	A1(M) J9	5.48 miles
3	A1(M) J10	5.99 miles
4	A1(M) J7	8.03 miles
5	M1 J10	9.24 miles




Airports/Helipads

Pin	Name	Distance
1	Luton Airport	6.86 miles
2	Heathrow Airport	34.99 miles
3	Cambridge	26.8 miles
4	Stansted Airport	25.89 miles



Bus Stops/Stations

Pin	Name	Distance
1	Post Office	0.15 miles
2	War Memorial	0.17 miles
3	High Street	0.19 miles
4	Royal Oak Lane	0.2 miles
5	Motte & Bailey PH	0.28 miles



This data indicates the level of noise according to the strategic noise mapping of road sources within areas with a population of at least 100,000 people (agglomerations) and along major traffic routes. This indicates a 24 hour annual average noise level with separate weightings for the evening and night periods.

Noise levels are modelled on a 10m grid at a receptor height of 4m above ground, polygons are then produced by merging neighbouring cells within the following noise classes:

- 75.0+ dB
- 70.0-74.9 dB
- 65.0-69.9 dB
- 60.0-64.9 dB
- 55.0-59.9 dB

Country Properties

Data Quality

We are committed to comprehensive property data being made available upfront to make the home buying and selling process quicker, easier and cheaper. This is why we have partnered with Sprift, the UK's leading supplier of property-specific data.



Contains public sector information licensed under the Open Government License v3.0

The information contained within this report is for general information purposes only.

Sprift Technologies Ltd aggregate this data from a wide variety of sources and while we endeavour to keep the information up to date and correct, we make no representations or warranties of any kind, express or implied, about the completeness, accuracy, reliability, of the information or related graphics contained within this report for any purpose.

Any reliance you place on such information is therefore strictly at your own risk. In no event will we be liable for any loss or damage including without limitation, indirect or consequential loss or damage, or any loss or damage whatsoever arising from loss of data or profits arising out of, or in connection with, the use of this report.



Country Properties

6 Brand Street Hitchin SG5 1HX

01462 452951

NKearney@country-properties.co.uk

www.country-properties.co.uk

